

Using the Style File Miroc-99e.sty*

Keigo Watanabe[†], Kazuo Kiguchi[†], and Kiyotaka Izumi[‡]

Abstract: This article explains how to use a \LaTeX style that produces a good approximation to the style used in the Machine Intelligence and Robotic Control, MIROC. The article is itself an example of the Miroc-99e.sty style in action.

Keywords: Style File, \LaTeX , Machine Intelligence, Robotic Control

1. Introduction

CYBER Scientific, Electronic Publication Division, Nishinohon Soft Service Co., Ltd. (NSS in short), publishes a new International Journal, Machine Intelligence and Robotic Control (MIROC), in both paper and electronic publications. This journal will provide a global forum for the publication of all forms of machine intelligence and robotic control systems with softcomputing techniques [1]–[3]. It has also the following properties:

- quarterly journal published in March, June, September, and December
- the related fields include:
 1. Intelligent Control and Systems [4], [5]
 2. Intelligent Mechatronics [6]

Authors who are about to prepare their articles using \LaTeX can get a \LaTeX style file from the homepage: <http://www.nsskk.co.jp/cyber-s/>. The aim of the style file Miroc-99e.sty is to allow authors of papers to estimate the page count and facilitate input-processing of the compuscript.

By using this style file you will find that the displayed equations, algorithms, nomenclature lists, etc. that you supply to us (on disk or via e-mail: ask the managing editor of this journal) will undergo minimal change.

2. How to Use the File Miroc-99e.sty

This style file has been written so as to allow, with very few changes, the formatting of input that is suitable for the \LaTeX article style. First, the Miroc-99e.sty style file has to be selected with a command of the form

```
\documentstyle[twocolumn,twoside]{Miroc-99e}
```

* Received May 31, 1999; accepted August 23, 1999. This work was supported by Cyber Mechanics Project in Japan under Grant GR/J980060.

[†] Department of Advanced Systems Control Engineering, Graduate School of Science and Engineering, Saga University, 1-Honjomachi, Saga 840-8502, Japan. E-mail: {watanabe, kiguchi}@me.saga-u.ac.jp

[‡] Department of Mechanical Engineering, Faculty of Science and Engineering, Saga University, 1-Honjomachi, Saga 840-8502, Japan. E-mail: izumi@me.saga-u.ac.jp

Table 1 The caption comes before the table that explains the each heading

	title page	odd page	even page
onesided	journal name	only page	only page
twosided	journal name	runtitle	runauthor

The default font size is 10 points. The default page style has been redefined and is now set by Miroc-99e.sty to “headings”.

MIROC papers do not include author affiliations below or beside the name(s) of the author(s); instead, use the command `\address{...}{...}` to list addresses.

Footnotes produce a footnote mark as usual.[†]

The command “`\PARstart{X}{YYY} ZZZ`” produces a large letter X at the beginning of the paragraph, as used in IEEE Transaction papers. The string YYY will be automatically changed to capital letters.

All papers should include the biography of the author, without photograph. An example of a formatted biography is given at the end of this sample article. The environment is called `biograph` and requires the name of the person whose biography is presented.

In **Fig. 1** we can see an example for the definition of the title page and of the main commands needed to compile a \LaTeX file with Miroc-99e.sty.

The commands `\runtitle{...}` and `\runauthor{...}` can be used for setting the running heads. If the option `twoside` is not selected, both even and odd headers will display nothing except for the page number. Note however that the header of the title page always displays **Type**, the journal name, **Vol**, **No**, the first and last pages, and **Year**; whereas the footer of the title page always displays the copyright mark with **Year** and **Paperno**.

2.1 Additional changes

Most changes resulting from the use of IEEEtran.sty should be transparent to the user.

2.1.1 Captions For instance, captions for figures and tables have been modified. Caption of tables, however, should be defined before the table item.

[†]The footnote is indicated by a footnote mark.

```

\documentstyle[twocolumn,twoside]{Miroc-99e}

\def\deq{\buildrel \triangle \over =}
\def\mbf#1{\mbox{\boldmath $#1$}}
\newtheorem{theorem}{Theorem}

\Type{Paper}
\Vol{1}
\No{1}
\Year{1999}
\Month{9}
\Paperno{0xxx--YYYY/99/010020-01}

\etitle{Using the \LaTeX Style File Miroc-99e.sty}
\runtitle{Using the \LaTeX Style File Miroc-99e.sty}
\eauthor{Keigo Watanabe\dag, Kazuo Kiguchi\dag and Kiyotaka Izumi\ddag}
\runauthor{Keigo Watanabe, Kazuo Kiguchi and Kiyotaka Izumi}

\setcounter{toppage}{3}
\setcounter{page}{1}
\firstpage{3}

\begin{document}

\begin{abstract}
  This article ...
\end{abstract}

\begin{keywords}
  Style File...
\end{keywords}

\maketitle
\address{*}{Received...}
\address{\dag}{Department ...}
...
\address{...}{...}

\section{Introduction}
\PARstart{C}{yber} Scientific ...

\section{Conclusions}

\section{Appendix}
\subsection{Proof of ...}

\section*{Acknowledgment}

\begin{thebibliography}{99}
\bibitem{...}
...
\end{thebibliography}

\section*{Biographies}
\biograph{Keigo Watanabe}{...}
...
\biograph{...}{...}

\end{document}

```

Fig. 1 Input used to produce this paper Input used to produce this paper

2.1.2 Environments The environments for theorem, proposition, lemma, assumption, definition, example, etc. can be defined with the usual \LaTeX [7], [8] command `\newtheorem{. . .}{. . .}`. The proof environment is already defined.

Theorem 1 (Theorem name) Consider the system

$$\dot{\mathbf{x}}(t) = \mathbf{A}\mathbf{x}(t) + \mathbf{B}\mathbf{u}(t) \quad (1)$$

$$\mathbf{y}(t) = \mathbf{C}\mathbf{x}(t) + \mathbf{D}\mathbf{u}(t) \quad (2)$$

If \mathbf{A} is stable, then the pair $\{\mathbf{A}, \mathbf{B}\}$ is stabilizable. Moreover, this holds for any \mathbf{B} .

Proof: From the property of Eq. (1), the proof is trivial. ■

2.2 Checking the paper by yourself

The paper can be prepared for checking the manuscript by you or any colleague, by omitting the option `twocolumn` and choosing the option `draft` (this will modify the `baselinestretch` variable). Thus, the format for checking the manuscript contains a definition of the form




Fig. 2 This is a sample figure; which is directly drawn by \LaTeX commands

`\documentstyle[...side,12pt,draft]{Miroc-99e}`

2.3 Submitting a paper for review

Authors are encouraged to submit the paper for review in electronic form. That is, the paper can be prepared for reviewing the manuscript by including the option `twocolumn` and `twoside`, as mentioned before. After generating `*.dvi` file, you can produce the corresponding `*.eps` file and furthermore make a `*.pdf` file. The eps file is sufficient supposing it cannot make a pdf file, though the pdf file is better in general. The pdf (or eps) file should be submitted to `miroc@eric.me.saga-u.ac.jp`, together with your submission comments. If electronic dispatch of files is not possible, 3 copies of the manuscript and a 3.5 inch diskette with all the files should be submitted to the Editorial Manager, Dr. Kazuo Kiguchi.

2.4 Final camera-ready manuscript

Once a paper has been accepted for publication in this journal, the authors should submit the final camera-ready manuscript in pdf (or eps) file. Since the editorial office will reconstruct the same manuscript in pdf file with several information such as page number, volume number, etc., referring your submitted pdf (or eps) file, the corresponding Latex manuscript file should also be submitted by e-mail, or on a 3.5 inch diskette for PC (MS-DOS or Windows), together with all other eps files that may be related to figures (or tables). If all files are not included in one diskette, the please make a compressed `*.zip` file.

Submission of final camera-ready manuscripts implies that the manuscripts are in their final form and will not be edited by the publisher (except for those mentioned above) or returned to the author for proofreading before publication. Deviations from this `Miroc-99e.sty` instruction may cause a delay in publication of the paper concerned.

3. Optional Formatting

3.1 Including a figure in `*.eps` file

It is rare to draw a figure using the direct \LaTeX command which was demonstrated in the above. Generally, it recommends rather taking in directly the file `*.eps`, the figure of a Post-Script format, by using your




Fig. 3 Behavior model for an omnidirectional mobile robot

own figure taking-in style, e.g., `epsfig.sty`. **Figure 3** is a sample one.

3.2 Including the bibliography into the \LaTeX source file

The customized `citesort.sty` is used for the reference literature. For example, if we describe as `\cite{LaTeX,LaTeXD}`, it is automatically obtained that a comma is inserted between parentheses such as `[.]`, `[.]`. Moreover, if we describe as `\cite{LaTeXD,METAFONT,TeX,LaTeX}`, then it will be rearranged into a numerical order, and the beginning and the last in a group of the successive numbers are collected by using “-”.

For those who use the `BIBTeX` to make the reference, you should reduce the number of files you have to send to the publishers in the following way. Run `BIBTeX` on the `*.aux` file. This creates a `*.bbl` file: include this into your \LaTeX source file at the place where you defined the `\bibliography{..}` command and comment this command out. Remove the `*.bbl` file. Then, your \LaTeX file will include all the necessary information about your bibliography and no `*.bbl` or `*.bib` file will be needed.

Sample references for a book, a chapter in a book, a journal, a report, and a conference paper follow. Therefore, for those who do not use the above method, please follow such samples: these are approximately the same as used in IEEE Transactions papers.

4. Conclusions

This sample article has presented the style file `Miroc-99e.sty` based on the use of `IEEEtran.sty`. This file can be especially useful in preparing articles for submission and for preparing the final version to be sent to the publisher.

5. Appendix

5.1 Proof of any theorems

If the proof of any theorems or algorithms stated in main sections is too long or tedious, then the relevant

proof should be put here. The equation number will have a successive one from the main sections.

Further explanation is omitted here, due to the space limitation.

Acknowledgments

The authors would like to acknowledge the suggestions of many people.

References

- [1] J. P. Koza, *Genetic Programming*. Cambridge, MA: MIT Press, 1992.
- [2] M. Teshnehlab and K. Watanabe, *Intelligent Control Based on Flexible Neural Networks*. Dordrecht, The Netherlands: Kluwer Academic Publishers, 1999, pp. 42–56.
- [3] K. Watanabe and K. Izumi, “A fuzzy-neural network realization of behavior-based control systems for a mobile robot,” in *Soft Computing for Intelligent Robotic Systems*, L. C. Jain and T. Fukuda, Eds., Heidelberg, Germany: Physica-Verlag, 1998, pp. 1–26.
- [4] T. Bäck, U. Hammel and H.-P. Schwefel, “Evolutionary computation: Comments on the history and current state,” *IEEE Trans. on Evolutionary Computation*, vol. 1, no. 1, pp. 3–17, 1997.
- [5] P. F. Muir and C. P. Neuman, “Kinematic Modeling of Wheeled Robots,” Carnegie Mellon University Technical Report CMU-RI-86-12, 1986.
- [6] K. Izumi, K. Watanabe, and T. Miyazaki, “Fuzzy behavior-based control for a miniature mobile robot,” in *Proc. of the 2nd Int. Conf. on Knowledge-based Intelligent Electronic Systems (KES '98)*, Adelaide, Australia, April 21–23 1998, vol. 3, pp. 483–490.
- [7] L. Lamport, *A Document Preparation System: L^AT_EX, User's Guide and Reference Manual*. Reading, MA: Addison Wesley, 1986.
- [8] H. Kopka, *L^AT_EX, eine Einführung*. Reading, MA: Addison-Wesley, 1989.
- [9] D. K. Knuth, *The T_EXbook*. Reading, MA: Addison-Wesley, 1989.
- [10] D. E. Knuth, *The METAFONTbook*. Reading, MA: Addison Wesley, 1986.

Biographies

Keigo Watanabe received B.E. and M.E. degrees in Mechanical Engineering from the University of Tokushima in 1976 and 1978, respectively, and a D.E. degree in Aeronautical Engineering from Kyushu University in 1984. From 1980 to March in 1985, he was a research associate in Kyushu University.

From 1985 to March in 1990, he was an Associate Professor in the College of Engineering, Shizuoka University. From April in 1990 to March 1993 he was an Associate Professor, and from April in 1993 to March 1998 he was a full Professor in the Department of Mechanical Engineering at Saga University. From April in 1998, he is now with the Department of Advanced Systems Control Engineering, Graduate School of Science and Engineering, Saga University.

His research interests are in stochastic adaptive estimation and control, robust control, neural network control, fuzzy control, genetic algorithms and their applications to the robotic control. He has published more than 200 technical papers and is author or editor of 14 books, including Adaptive Estimation and Control (Prentice-Hall), Stochastic Large-Scale Engineering Systems (Marcel Dekker, Inc.) and Intelligent Control Based on Flexible Neural Networks (Kluwer). He is an active reviewer of many journals or

transactions more than 15 and editorial boards of J. of Intelligent and Robotic Systems and J. of Knowledge-Based Intelligent Engineering Systems.

Professor Watanabe is a member of the Society of Instrument and Control Engineers, the Japan Society of Mechanical Engineers, the Japan Society for Precision Engineering, the Institute of Systems, Control and Information Engineers, the Japan Society for Aeronautical and Space Sciences, the Robotics Society of Japan, Japan Society for Fuzzy Theory and Systems, and IEEE.

Kazuo Kiguchi received the B.Eng. degree in Mechanical Engineering from Niigata University, Japan in 1986, the M.A.Sc. degree in Mechanical Engineering from University of Ottawa, Canada in 1993, and the Dr.Eng. degree in Mechano-Informatics and Systems from Nagoya University, Japan in 1997.

He was a Research Engineer with Mazda Motor Co. between 1986-1989, and with MHI Aerospace Systems Co. between 1989-1991. He worked for the Dept. of Industrial and Systems Engineering, Niigata College of Technology, Japan between 1994-1999. He is currently an Associate Professor in the Department of Advanced Systems Control Engineering, Graduate School of Science and Engineering, Saga University.

His research interests include biorobotics, intelligent robots, machine learning, application of soft computing for robot control, and application of robotics for medicine.

He is a member of the Robotics Society of Japan, the Society of Instrument and Control Engineers, the Japan Society of Mechanical Engineers, Japan Society for Fuzzy Theory and Systems, IEEE, and International Neural Network Society.

Kiyotaka Izumi received a B.E. degree in Electrical Engineering from the Nagasaki Institute of Applied Science in 1991, a M.E. degree in Electrical Engineering from the Saga University in 1993, and a D.E. degree in Faculty of Engineering Systems and Technology from the Saga University in 1996.

From April in 1996, he is a Research Associate in the Department of Mechanical Engineering at Saga University. His research interests are in robust control, fuzzy control, behavior-based control, genetic algorithms, evolutionary strategy and their applications to the robotic control.

Dr. Izumi is a member of the Society of Instrument and Control Engineers, the Japan Society of Mechanical Engineers, the Robotics Society of Japan, Japan Society for Fuzzy Theory and Systems, the Institute of Electronics, Information and Communication Engineers and the Japan Society for Precision Engineering.